





变更	新增加尺寸	Kevin	08/08/17
变更	新增PCB规格	Kevin	02/17/17
变更	产品料号修正	Kevin	12/01/16
变更	修改摘要	Kevin	
变更	修订描述	Kevin	
变更	签名	Kevin	
变更	日期	Kevin	
变更	版本号	Kevin	

RECOMMENDED PCB PATTERN DIM.  
TOLERANCE : ±0.05










MATING HEIGHT (H)	PLUG (h)	SOCKET (h)	NO. of contacts	Dimensions					NO. of contacts	Dimensions				
				A	B	C	D	E		A	B	C	D	E
7.0	4.0	3.0	4	3.50	0.80	1.86	2.60		54	23.50	20.80	21.86	22.60	
7.5	4.0	3.5	6	4.30	1.60	2.66	3.40		56	24.30	21.60	22.66	23.40	
8.0	4.0	4.0	8	5.10	2.40	3.46	4.20	4.00	58	25.10	22.40	23.46	24.20	
8.5	4.0	4.5	10	5.90	3.20	4.26	5.00		60	25.90	23.20	24.26	25.00	
			12	6.70	4.00	5.06	5.80		62	26.70	24.00	25.06	25.80	
			14	7.50	4.80	5.86	6.60		64	27.50	24.80	25.86	26.60	
			16	8.30	5.60	6.66	7.40		66	28.30	25.60	26.66	27.40	
			18	9.10	6.40	7.46	8.20		68	29.10	26.40	27.46	28.20	
			20	9.90	7.20	8.26	9.00		70	29.90	27.20	28.26	29.00	
			22	10.70	8.00	9.06	9.80		72	30.70	28.00	29.06	29.80	
			24	11.50	8.80	9.86	10.60		74	31.50	28.80	29.86	30.60	
			26	12.30	9.60	10.66	11.40		76	32.30	29.60	30.66	31.40	
			28	13.10	10.40	11.46	12.20		78	33.10	30.40	31.46	32.20	
			30	13.90	11.20	12.26	13.00		80	33.90	31.20	32.26	33.00	
			32	14.70	12.00	13.06	13.80	8.00	82	34.70	32.00	33.06	33.80	
			34	15.50	12.80	13.86	14.60		84	35.50	32.80	33.86	34.60	
			36	16.30	13.60	14.66	15.40		86	36.30	33.60	34.66	35.40	
			38	17.10	14.40	15.46	16.20		88	37.10	34.40	35.46	36.20	
			40	17.90	15.20	16.26	17.00		90	37.90	35.20	36.26	37.00	
			42	18.70	16.00	17.06	17.80		92	38.70	36.00	37.06	37.80	
			44	19.50	16.80	17.86	18.60		94	39.50	36.80	37.86	38.60	
			46	20.30	17.60	18.66	19.40		96	40.30	37.60	38.66	39.40	
			48	21.10	18.40	19.46	20.20		98	41.10	38.40	39.46	40.20	
			50	21.90	19.20	20.26	21.00		100	41.90	39.20	40.26	41.00	

CUSTOMER 东莞市文章济美电子有限公司

一般公差  
GENERAL TOLERANCE  
X ±0.10  
XX ±0.05  
XXX ±0.02  
MMBS ±0.30

制图 (DWD):	Kevin	品名 (TITLE):	0.8mm 双槽PTB SOCKET
审核 (CMD):		料号 (PART NO.):	5001-BTB08**-*-**F
核准 (APPD):		比例 (SCALE):	1:8
		单位 (UNITS):	mm
		张数 (SHEET):	1 OF 1
		图幅 (SIZE):	A4



RECOMMENDED PCB PATTERN DIM.  
TOLERANCE : ±0.05

MATING HEIGHT (H)	PLUG (H)	SOCKET (H)	NO. of contacts
7.0	4.0	3.0	4
7.5	4.0	3.5	6
8.0	4.0	4.0	8
8.5	4.0	4.5	10

NO. of contacts	Dimensions					NO. of contacts	Dimensions				
	A	B	C	D	E		A	B	C	D	E
4	3.50	0.80	1.80	2.60	4.00	54	23.50	20.80	21.80	22.60	
6	4.30	1.60	2.60	3.40		56	24.30	21.60	22.60	23.40	
8	5.10	2.40	3.40	4.20		58	25.10	22.40	23.40	24.20	
10	5.90	3.20	4.20	5.00		60	25.90	23.20	24.20	25.00	
12	6.70	4.00	5.00	5.80		62	26.70	24.00	25.00	25.80	
14	7.50	4.80	5.80	6.60		64	27.50	24.80	25.80	26.60	
16	8.30	5.60	6.60	7.40		66	28.30	25.60	26.60	27.40	
18	9.10	6.40	7.40	8.20		68	29.10	26.40	27.40	28.20	
20	9.90	7.20	8.20	9.00		70	29.90	27.20	28.20	29.00	
22	10.70	8.00	9.00	9.80		72	30.70	28.00	29.00	29.80	
24	11.50	8.80	9.80	10.60		74	31.50	28.80	29.80	30.60	
26	12.30	9.60	10.60	11.40		76	32.30	29.60	30.60	31.40	
28	13.10	10.40	11.40	12.20		78	33.10	30.40	31.40	32.20	
30	13.90	11.20	12.20	13.00		80	33.90	31.20	32.20	33.00	
32	14.70	12.00	13.00	13.80	8.00	82	34.70	32.00	33.00	33.80	
34	15.50	12.80	13.80	14.60		84	35.50	32.80	33.80	34.60	
36	16.30	13.60	14.60	15.40		86	36.30	33.60	34.60	35.40	
38	17.10	14.40	15.40	16.20		88	37.10	34.40	35.40	36.20	
40	17.90	15.20	16.20	17.00		90	37.90	35.20	36.20	37.00	
42	18.70	16.00	17.00	17.80		92	38.70	36.00	37.00	37.80	
44	19.50	16.80	17.80	18.60		94	39.50	36.80	37.80	38.60	
46	20.30	17.60	18.60	19.40		96	40.30	37.60	38.60	39.40	
48	21.10	18.40	19.40	20.20		98	41.10	38.40	39.40	40.20	
50	21.90	19.20	20.20	21.00		100	41.90	39.20	40.20	41.00	

CUSTOMER 东莞市文章济美电子有限公司

一般公差  
GENERAL TOLERANCE  
X ±0.10  
XX ±0.05  
XXX ±0.02  
ANOTS 20~30

品名(TITLE): 0.8mm 双槽BTB PLUG  
料号(PART NO.): 5001-BTB08\*\*-\*M  
比例(SCALE): 1:8  
单位(UNIT): mm  
张数(SHEET): 1 OF 1  
图幅(SIZE): A4

修订	新增规格尺寸	Kavin	08/08/17
修订	产品料号修正	Kavin	12/01/16
修订	修改摘要	签名	日期
SER	REVISION DESCRIPTION	SIGNATURE	DATE

RoHS Compliant  
2013/95/EC  
APB  
Cohesion